

# Global Design Solutions



## **Cue Light Controller Operating Instructions**

The GDS cue light system allows for control of a red and green light that is positioned remotely. When using the cue light system, the red and green lights will only light up if the outstation (remote unit) is connected to the respective channel. This forms a reliable way of identifying the cue has been given.

### **Red light Operation**

Push the red channel button on the desk, the red light will start flashing at the desk and on the outstation. Push the red channel button again and the red light will turn back off.

If the Acknowledge button is pressed on the outstation whilst the red light is flashing, the red light will come on permanently. If the channel button on the desk is then pressed, the red light will go out.

Configuration Options:

- The red light flashing speed can be set from slow to fast.

There is a master cancel on each end of the desk that will turn any red lights that are active off.


### **Green light Operation**

Push the green channel button on the desk, the green light will come on at the desk and on the outstation. Push the green channel button again and the green light will turn back off.

Configuration Options:

- If the 'lose red on go' has been set, the red light will turn off if the green button is pushed.
- If the 'red toggle' is set, the red light will come back on when the green light is turned off, assuming the red was on when the green button was pressed.
- If the 'green momentary' is set, the green light will only light for as long as the button is pressed.
- The green 'dual function' allows for the green button to act as momentary operation if pressed fast (stabbed), or latching if the button is pushed slowly.

# Global Design Solutions



w w w . g d s . u k . c o m

There is a master cancel on each end of the desk that will turn any green lights that are active off. Once this has been pressed, it cannot be undone.

## **Preset Operation**

Push the preset channel button, it will light up. Any number of channels can be selected. Push the master go on either side end of the desk and the respective green lights will light up.

Configuration Options:

- The 'clear preset' option allows you to either keep the preset button lit, or turn the preset button off after the green button has been pressed. This applies to all channels.

There is a preset cancel button on each side of the desk that will turn all preset lights off.

## **Configuration Options**

The configuration options are set by holding down the red standby button whilst turning the power on. Then the first 4 channel buttons can be toggled to turn the option on or off. The options are as follows:

### Red Button Channel 1

Red flashing speeds, fast or slow

ON = Fast red flashing

OFF = Slow red flashing

NOTE: the red master cancel will flash to indicate the speed setting.

### Red Button Channel 2

Green momentary

ON = Enabled

OFF = Disabled

### Red Button Channel 3

Green Dual function

ON = Enabled

OFF = Disabled

### Red Button Channel 4

Lose red on go


ON = Enabled

OFF = Disabled

Global Design Solutions Limited      176 Brynland Avenue      Bristol      BS7 9DY  
Tel: +44 (0) 117 325 0063      Fax: +44 (0) 117 924 5515      Web: [www.gds.uk.com](http://www.gds.uk.com)  
E-mail: [info@gds.uk.com](mailto:info@gds.uk.com)

Vat No. 827 1985 96      Reg No. 508 6550

# Global Design Solutions



w w w . g d s . u k . c o m

Amber Button Channel 1  
Red toggle  
ON = Enabled  
OFF = Disabled

Amber Button Channel 2  
Clear preset on GO  
ON = Enabled  
OFF = Disabled

Amber Button Channel 3  
Spare

Amber Button Channel 4  
Spare

Green Button Channel 1  
Spare

Green Button Channel 2  
Spare

Green Button Channel 3  
Spare

Green Button Channel 4  
Spare

Global Design Solutions Limited      176 Brynland Avenue      Bristol      BS7 9DY  
Tel: +44 (0) 117 325 0063      Fax: +44 (0) 117 924 5515      Web: [www.gds.uk.com](http://www.gds.uk.com)  
E-mail: [info@gds.uk.com](mailto:info@gds.uk.com)

Vat No. 827 1985 96      Reg No. 508 6550